Social inequalities in salt consumption remain



People from low socio-economic positions in Britain still eat more salt than those from higher socio-economic positions, irrespective of where they live.

A paper published in the *BMJ Open* journal and led by Warwick Medical School suggests social inequalities in salt intake have hardly changed in the period from 2000-01 to 2011. This is despite a national average salt reduction over this time.

This paper is the first to monitor social inequalities following the national salt reduction programme.

The research was carried out by the World Health Organization Collaborating Centre for Nutrition, based at Warwick Medical School, University of Warwick.


Researchers looked at the geographical distribution of habitual dietary salt intake in Britain and its association with manual occupations and educational attainments, both indicators of socio-economic position and key determinants of health.

The researchers used the British National Diet and Nutrition Survey (2008-11), a national representative sample of 1,027 men and women aged 19-64 years living in Britain. Salt intake was assessed with a 4-day food diary, assessing <u>salt consumption</u> from food. Salt added by consumers at the table and during cooking (discretionary salt) was not measured.

There was a significant reduction in dietary salt consumption from 2000-1 to 2008-11 of 0.9g of salt per day, consistent with the total reduction in salt consumption of 1.4g per day reported nationally when also discretionary use of salt is taken into account.

Professor Francesco Cappuccio, senior author and Director of the WHO Collaborating Centre, said: "Whilst we are pleased to record an average national reduction in salt consumption coming from food of nearly a gram per day, we are disappointed to find out that the benefits of such a programme have not reached those most in need. These results are important as people of low socio-economic background are more likely to develop high blood pressure (hypertension) and to suffer disproportionately from strokes, heart attacks and renal failure."

Professor Cappuccio continued: "The diet of disadvantaged socio-economic groups tends to be made up of low-quality, salt-dense, high-fat, high-calorie unhealthy cheap



Medical Xpress on facebook

foods. We have seen a reduction in salt intake in Britain thanks to a policy, which included awareness campaigns, food reformulation and monitoring. However, clearly poorer households still have less healthy shopping baskets and the broad reformulation of foods high in salt has not reached them as much as we would have hoped."


"In our continued effort to reduce population salt intake towards a 6g per day target in Britain, it is crucial to understand the reasons for these social inequalities so as to correct this gap for an equitable and cost-effective delivery of cardiovascular prevention", Professor Cappuccio concluded.

Explore further: Cheese still laden with salt, despite many products meeting reduction targets

Journal reference: BMJ Open

**** not rated yet

Provided by University of Warwick





The 3 Worst Things that Age You Faster (AVOID) MAX Workouts



9 People You Won't **Believe Actually Exist**

Viralious



Eat This, Never Diet Again! Learn How Here.

Nutriberry

UK Public Snaps Up Bargains Using 'Bizarre' Online Trick

MadBid.com

Sponsored Links by Taboola

Related Stories

High salt intake linked to social inequalities → Jan 07, 2013

People from low socio-economic positions in Britain eat more salt than the well off, irrespective of where they live, states a paper led by Warwick Medical School published on Tuesday in the BMJ Open journal .

Cheese still laden with salt, despite many products meeting reduction targets - Aug 06, 2014

The salt content of cheese sold in UK supermarkets remains high, despite many products meeting the recommended government targets on salt reduction, finds research published in the online journal BMJ Open.

Fewer people adding salt at the table | Jan 28, 2013

The number of people in England adding salt to food at the table fell by more than a quarter in the five years following a national campaign, according to research published in the British Journal of Nutrition.

Recommended for you

Venezuela's socialist government is sounding the alarm about growing waistlines in a country where record food shortages are making it harder to put healthy meals on the table, prompting many people to fill ...

E-cigarettes: growing, but fragmented \$3 bn market ✓ 11 hours ago

The World Health Organization took aim Tuesday at e-cigarettes, the increasingly popular, ostensibly safer tobacco substitute which WHO nevertheless says poses a serious threat to young people. ...

"Do-it-yourself" blood pressure measurements and medicine changes work better than usual doctor-office care in some patients, a study of older adults in England found.

U

User comments

- Help

FAQ

- Science X Account Cancer / Oncology
- About us
- Sponsored Account HIV & AIDS news
- Newsletter
- Immunology news

Contact RSS feeds Genetics news Privacy Policy Terms of use Disclaimer

© Medical Xpress 2011-2014, Science X network