

Source Control in MATLAB

A tool for tracking changes in software development projects.

Stuart Nelis & Rachel Sheldon

Source Control


(A.K.A. Revision Control, Version Control)




- The management of changes to documents, programs, and other information stored as computer files.
- Used in software development where a team of people can edit the same files

Why Do We Use Source Control?

- Allows programmers to work simultaneously on updates even when geographically far apart
- Aids in the fixing of bugs as they are often only present in one version
- Keeps track of who has made a change, and what change has been made





Version Development

BRANCH – A set of files under source control can be branched so two copies of the files can develop at different speeds

TRUNKS – The unique line of development that is not a branch

MERGES – Two sets of changes are applied to a set of files

TAGS – Denotes an important snapshot in time

WORKING COPY – Local copy of files from a repository, at a specific time or revision

Merging Scenarios

- A user, working on a set of files, syncs his or her working copy with changes made.
- A user tries to check-in files that have been updated by others since the files were checked out. The revision control software automatically merges the files.
- A set of files is branched, a problem that existed before the branching is fixed in one branch, and the fix is then merged into the other branch.
- A branch is created, the code in the files is independently edited, and the updated branch is later incorporated into a single, unified trunk.

Software Showcase

- MATLAB has tools for utilising external source control software which can be set in the preferences and extended through plugins
- We will be looking at:
 - Subversion (SVN) Open source software
 - svnX Open source GUI for SVN
 - MATLAB Interface

Demo Time

Any Questions?